

The logo for Grassroot Water features the brand name in a sans-serif font. 'grass' is in green, 'root' is in a darker green, and 'water' is in blue with a blue water drop icon above the 'a'. A stylized green grass blade graphic is positioned between 'grass' and 'root'. Below the brand name, 'By Rajib Roy' is written in a smaller, lighter green font.

grassrootwater
By Rajib Roy

<http://grassrootsales.in>

Stay Happier and Healthier.....



grassrootwater is suitable for commercial as well as domestic use.

Grassroot Alkaline water can be used in place of tap water, RO Water, UV treated water and bottled water.

Why Alkaline Water ?

Tap water, RO water, UV treated water have a pH of 4 to 6, which is acidic. Again these types of water have been found to have positive charged ORP (oxidation-reduction potential) of +100 to -350 which is oxidant water.

These have already been scientifically proven to be extremely hazardous to our healths.

Again, the oxidants in these waters can damage cells by starting chemical chain reactions on lipids (fat cells), or by oxidising DNA or proteins. Damage to DNA can cause mutations which in turn lead to cancer.

Aa per WHO guidelines and BIS (Bureau of Indian Standards), pH 8.5 is preferred for regular drinking

What is **grassrootwater** ?

grassrootwater is Alkaline water which contributes to improved health and well being. Water ionizers have been used in Japan and other parts of Asia for over 50 years and have been certified by Korean and Japanese Health Ministries.

Why **grassrootwater** ?




grassrootwater protects you from cancer, high blood pressure, diabetes, arthritis, acid reflux, constipation, fatigue, weight issues, skin and hair diseases, along with 240+ other diseases.



Why grassrootwater ?

By Rajib Roy



11 platinum coated titanium plates

Hydrogen content above 1500 PPB

Entirely screen touch display

Longevity: 100 to 150 years (occasional cleaning of plates)

Machine can be run continuously unlike other brands.

Fully automatic auto clean system

No requirement of pressure tank





IONIZER SPECIFICATION PREMIUM MODELS

	11 PLATE PREMIUM	9 PLATE PREMIUM	7 PLATE PREMIUM	5 PLATE PREMIUM
INPUT POWER	230 V VOLT	230 V VOLT	230 V VOLT	230 V VOLT
ELECTORLYZING	0-400 W	0-400 W	0-400 W	0-400 W
STANDY POWER	24 VDC, 3 AMP	24 VDC, 3 AMP	24 VDC, 3 AMP	24 VDC, 3 AMP
INFLOW PRESSURE	0.1~0.3 MP	0.1~0.3 MP	0.1~0.3 MP	0.1~0.3 MP
FUNCTION	LOW, MEDIUM HIGH FOR ALKALINE LOW,MEDIUM, HIGH FOR ACIDIC	LOW, MEDIUMHIGH FOR ALKALINE LOW,MEDIUM,HIGH FOR ACIDIC	LOW, MEDIUM HIGH FOR ALKALINE LOW,MEDIUM, HIGH FOR ACIDIC	LOW, MEDIUMHIGH FOR ALKALINE LOW,MEDIUM, HIGH FOR ACIDIC
NET WEIGHT	6.5 KG	6.5 KG	6.5 KG	6.5 KG
DIMENSION OF PLATE	100*50 MM	100*50 MM	100*50 MM	100*50MM
NO OF PLATE	11 PLATE	9 PLATE	7 PLATE	5 PLATE
WATER FLOW	120-130 LPH	90-100 LPH	70-80 LPH	50-60 LPH
PH LEVEL	7.5/8.5/9.5 6.5/5.5/4.5	7.5/8.5/9.5 6.5/5.5/4.5	7.5/8.5/9.5 6.5/5.5/4.5	7.5/8.5/9.5 6.5/5.5/4.5
ORP LEVEL	-100 TO -800	-100 TO -700	-100 TO -600	100 TO -500
WATER PRESSURE	100 PSI INPUTBY GRAVITY	100 PSI INPUTBY GRAVITY	100 PSI INPUTBY GRAVITY	100 PSI INPUTBY GRAVITY
POWERSUPPLY	7 TH GENERATION SMART SMPS	7 TH GENERATION SMART SMPS	7 TH GENERATION SMART SMPS	7 TH GENERATION SMART SMPS
SCREEN	GRAPHICAL DISPLAY 72*40MM SCREEN	GRAPHICAL DISPLAY 72*40MM SCREEN	GRAPHICAL DISPLAY 72*40MM SCREEN	GRAPHICAL DISPLAY 72*40MM SCREEN
PLATE	PLATINIUM COATED TITANIUM PLATES ELECTROLYSIS BASED(ANODE CATHODE)	PLATINIUM COATED TITANIUM PLATES ELECTROLYSIS BASED(ANODE CATHODE)	PLATINIUM COATED TITANIUM PLATES ELECTROLYSIS BASED(ANODE CATHODE)	PLATINIUM COATED TITANIUM PLATES ELECTROLYSIS BASED(ANODE CATHODE)
PLATINIUM COATING	1 MICRON	1 MICRON	1 MICRON	1 MICRON
NOTIFICATION ON DISPLAY	PH LEVEL/ORP LEVEL	PH LEVEL/ORPLEVEL	PH LEVEL/ORP LEVEL	PH LEVEL/ORPLEVEL
INPUT TDS	50 TO 150	50 TO 150	50 TO 150	50 TO 150
HYDROGEN-	UPTO 1600 PPB	UPTO 1600 PPB	UPTO 1600 PPB	UPTO 1600 PPB



PROPERTIES

COMPETITORS

INBUILT MOTOR

NO

YES

WARRANTY

5 YEARS

7 YEARS

HYDROGEN
CONTENT

UPTO 1000 PPB

ABOVE 1500 PPB

RATE

₹ 2.99 LACS

₹ 3 LACS

COUNTRY OF
ORIGIN

INDIA

INDIA

DISPLAY

NORMAL
DISPLAY

MOBILE TOUCH
DISPLAY

DISPLAY SIZE

70×40 mm

90×160 mm
MOBILE TOUCH

ORP RANGE

UPTO 800 MV

UPTO 800 MV

CONTINUOUS
USAGE

NOT MORE THAN
30 MINUTES

CAN BE RUN
CONTINUOUSLY

POWER SUPPLY

175 WATTS

450 WATTS
ADVANCE FULLY
AUTOMATIC

SPACE
REQUIREMENT

MUCH SPACE
REQUIRED

REQUIRES
COMPACT SPACE

AUTO CLEAN
SYSTEM

MANUALLY
CONTROLLED

FULLY
AUTOMATIC

PRESSURE
TANK

REQUIRED

NOT
REQUIRED



grass root water

By Rajib Roy

<http://grassrootsales.in>

Protects
you from
high blood
pressure

Prevents
acid
reflux

Brighter
and
clearer
skin

Prevents
constipation



COMMERCIALS

Maximum Retail Price: ₹300,000

Annual Maintenance Contract available

1. Yearly for Rs.15,000/-
2. 2 years for Rs. 25,000/-
3. 3 years for Rs. 30,000/-
4. 5 years for Rs. 40,000/-
5. 10 year for Rs. 50,000/-





Marketed by:



<http://grassrootsales.in>

AC-198, Sector-1, Bidhannagar,
Salt Lake City, Kolkata:700064
rajib@grassrootsales.in
Mobile: +91 9433773484